

# Gardner Wade DDS, LLC

*Cosmetic and Family Dentistry*

**9828 Bluebonnet Blvd Suite D**

**Baton Rouge, Louisiana 70810**

**(225) 766-6100**

**Fax: (225) 766-2122**

**gardnerwadedds.com**

## AUTHORIZATION AND INFORMED CONSENT TO DENTAL TREATMENT

I REQUEST AND AUTHORIZE Dr. Gardner Wade DDS, LLC and or such persons as he/she may appoint to perform and assist performance of essential treatment or procedure indicated and described below.

.....  
**Fillings: Amalgam (silver) or composite/resin (tooth colored) without pin**

**Risks:**

- 1-All Risks involved with anesthesia
- 2-Thermal sensitivity for as long as 6 weeks
- 3-Tooth may die and abscess resulting in the need of a root canal or extraction

.....  
**Root Canal: Nerve Treatment**

**Risks:**

- 1-All risks involved with Anesthesia
- 2-Swelling
- 3-Pain
- 4-Infection
- 5-Thermal Sensitivity
- 6-Tooth may fracture during treatment
- 7-Fracture resulting in extraction
- 8-Surgical closure of Apex of root
- 9-Preforations of the tooth or root
- 10-Broken File while instrumenting canal
- 11-Damage to existing restorations (fillings)
- 12-If tooth has a porcelain crown prior to root canal; going through the crown may cause the porcelain to crack /chip during or post treatment.
- 13-Unsuccessful root canal resulting in extraction of tooth

\* I also understand that endodontic treatment is a biological procedure, and that even though very predictable, there can be no guarantee of success. Future treatments may include surgery or retreatment to bring about the expected results.

.....  
**Extraction: Removal of tooth**

**Risks:**

- 1-All risks involved with anesthesia
- 2-Swelling
- 3-Phonetic interference (difficulty speaking)
- 4-Cellulitis
- 5-Pain
- 6-Tooth mobility
- 7-Food impaction around surgery site
- 8-Trismus (temporary restricted mouth opening) requiring additional surgery
- 9-Allergic reaction (previously unknown) to any of the medications used in the procedure
- 10-Tooth or fragment in maxillary sinus
- 11-Decision to leave a small piece in the jaw when its removal would require extensive surgery
- 12-Injury to the nerve underlying the teeth resulting in numbness or lingling of the chin, lip, cheek, gum, and/or tongue on the operating side: this may persist for several weeks, months, or in remote instances, permanently.

.....  
**Crown, Bridge, and Veneers**

**Risks:**

- 1-All risks involved with anesthesia
  - 2-Death of the tooth resulting in the need of a root canal
  - 3-Porcelain fused to metal may chip or flake off
  - 4-Thermal Sensitivity
  - 5-Loss of the tooth due to periodontal disease if tooth is not kept clean by patient
- .....

**Immediate Denture:**

**D5130 Maxillary:**

Includes limited follow-up care only; does not include required future rebasing/relining procedure(s) or a complete new denture.

**D5140 Mandibular:**

Includes limited follow-up care only; does not include required future rebasing/relining procedure(s) or a complete new denture

**Risks:**

- 1- Midline of teeth with the nose may shift on delivery of denture
- 2- Looseness of dentures as a result of dental lab having to approximate where bone will be after extractions and recontouring of the bone.

Date: \_\_\_\_\_ Patient Signature: \_\_\_\_\_  
(Guardian if under 18 years old)

.....  
**Periodontal Treatment Phase 1 Oral Hygiene Instructions, Root Planing and Scaling**

**Risks**

- 1-All risks involved with anesthesia
  - 2-Infection
  - 3-Thermal Sensitivity
  - 4-Gum (gingival) recession
  - 5-Pain
  - 6-Food impaction between teeth
  - 7-Exposure of margins of crowns
  - 8-Recurrence of gum problems if the patient does not concur with oral hygiene instructions
- .....

**Periodontal Treatment- Phase II: Surgery Risks:**

- 1-All risks involved with anesthesia
  - 2-Infection
  - 3-Pain
  - 4-Swelling
  - 5-Thermal sensitivity
  - 6-Gum recession
  - 7-Exposure of margins of crowns
  - 8-Phonetic interference
  - 9-Tooth mobility
  - 10-Food impaction between teeth
  - 11-Trismus (temporary restricted mouth opening)
  - 12-Recurrence of gum problems if the patient does not concur with the oral hygiene instructions
  - 13-Tooth may appear long due to removal of tissue
- .....

**Anesthesia and Nitrous Oxide: May consist of one or both risks:**

- 1-Nausea and/or vomiting
- 2-Headache
- 3-Fainting
- 4-Death

.....

**Local Anesthesia: Injection of Lidocaine, Carbocaine, and/or Scandonest Risks:**

- 1-Allergic reaction to anesthesia
- 2-Sweating
- 3-May lower or increase blood pressure
- 4-Fainting
- 5-Breakage of needle
- 6-Palpitation
- 7-Hemmatoma
- 8-Trismus (temporary restricted mouth opening)
- 9-Permanent or temporary parasthesia (numbness)
- 10-Death

.....

I certify that I have read and understand the above; I accept the risk of substantial and serious harm, if any hope of obtaining the desired benefits results of this treatment of procedure as listed above.

\_\_\_\_\_

Patient /Parent if Minor

\_\_\_\_\_

Date

\_\_\_\_\_

Witness